

**2006 North Carolina Hospital Discharges with a Primary Diagnosis of Asthma
Numbers & Rates per 100,000**

County	Total Population	
	Number	Rate
Bladen	32	97.4
Brunswick	106	111.6
Columbus	100	183
New Hanover	139	75.5
Pender	47	96.5
Robeson	431	334
Sampson	110	171.7
Scotland	110	297.3
<i>North Carolina</i>	10,500	118.5
<i>CCHA Region</i>	134,375	170.875


South Carolina Data:

8.9% of children (<18yrs) in South Carolina currently suffer from Asthma (2005).
<http://www.scdhec.com/hs/epidata/asthma/stateasthma.pdf>
 11.5% of children (<18 yrs) in North Carolina currently suffer from Asthma (2005).
<http://www.asthma.ncdhhs.gov/burdenReportDocs/burdensectionFiles/1-asthmaPrevalence.pdf>

86 asthma hospitalizations of children (<18yrs) in Horry County (2003).
 Asthma/Bronchitis is the leading cause of hospitalization in Horry County for children less than 18 years old.
<http://www.scdhec.net/HS/epidata/Asthma/Horry.pdf>

<http://www.schs.state.nc.us/SCHS/data/databook/CD18%20Asthma%20hospitalizations%20by%20county.html>

2006 NC Hospital Discharges with a Primary Diagnosis of Asthma, Rates per 100,000



2006 North Carolina Hospital Discharges with a Primary Diagnosis of Asthma

