

Age-Adjusted Death Rates for Selected Causes in Total NC Population, 2002 - 2006

<http://www.schs.state.nc.us/SCHS/deaths/lcd/2006>

| County | Total Deaths/ All Causes | Cancer | Diabetes Mellitus | Total Heart Disease | CVD |
|--------------------------|---------------------------------|---------------|--------------------------|----------------------------|------------|
| Bladen County Rate | 1080.6 | 205.2 | 49.6 | 282.9 | 86.9 |
| Brunswick County Rate | 828.8 | 190.1 | 20.7 | 212.6 | 51.2 |
| Columbus County Rate | 1077.8 | 208 | 27.8 | 319.9 | 62.6 |
| New Hanover County Rate | 818.3 | 192.5 | 22.4 | 216.1 | 54 |
| Pender County Rate | 825.2 | 203.1 | 30.1 | 211.8 | 63.1 |
| Robeson County Rate | 1098 | 218.4 | 60.1 | 297.9 | 74.5 |
| Sampson County Rate | 983.3 | 212.7 | 43.5 | 233.2 | 87.2 |
| Scotland County Rate | 1021.1 | 225.1 | 45.4 | 269.5 | 88.7 |
| Average CCHA Region Rate | 966.64 | 206.8875 | 37.45 | 255.49 | 71.03 |
| North Carolina Rate | 885.2 | 196.4 | 27.1 | 217.9 | 61.1 |

Pneumonia/ Influenza

19.8
17.5
25.9
17
18.1
19.2
17.7
14.8
18.75
22.5

Age-Adjusted Death Rates for Selected Causes in Total NC Population, 2002 -200
<http://www.schs.state.nc.us/SCHS/deaths/lcd/2006>

| County | Chronic Lower Respiratory Disease | Chronic Liver Disease & Cirrhosis | Other Unintentional Injury/ Accidents |
|--------------------------|--|--|--|
| Bladen County Rate | 63.3 | 10.4 | 33.8 |
| Brunswick County Rate | 54 | 7.5 | 32.3 |
| Columbus County Rate | 54.8 | 11.3 | 39 |
| New Hanover County Rate | 38 | 8.7 | 26.4 |
| Pender County Rate | 39.5 | 9.8 | 20.8 |
| Robeson County Rate | 42 | 11.1 | 23.2 |
| Sampson County Rate | 43.1 | 1.05 | 31.2 |
| Scotland County Rate | 39.8 | 17 | 20.6 |
| Average CCHA Region Rate | 46.81 | 9.61 | 28.41 |
| North Carolina Rate | 47.1 | 8.8 | 27 |

16 continued


Motor Vehicle

| Accidents | Suicide | Homicide |
|------------------|----------------|-----------------|
| 34.3 | 12.7 | 9.4 |
| 28.4 | 12 | 6.5 |
| 44 | 10.8 | 16.3 |
| 11.7 | 12.1 | 4.9 |
| 24.6 | 13 | 5.1 |
| 43.3 | 10.5 | 20.8 |
| 33.5 | 9 | 11.8 |
| 24.8 | 9.9 | 11.8 |
| 30.58 | 11.25 | 10.83 |
| 19.1 | 11.6 | 7.2 |


Age-Adjusted Death Rates for Selected Causes in Total NC Population, 200-2006 continued
<http://www.schs.state.nc.us/SCHS/deaths/lcd/2006>

| County | Septicemia | Nephritis | HIV |
|--------------------------|-------------------|------------------|------------|
| Bladen County Rate | 21.8 | 22.1 | 7.1 |
| Brunswick County Rate | 18.5 | 17.3 | 2.2 |
| Columbus County Rate | 23.9 | 35.1 | 6.9 |
| New Hanover County Rate | 9.1 | 17.4 | 4.2 |
| Pender County Rate | 11.8 | 21.5 | 1.6 |
| Robeson County Rate | 19.3 | 25.8 | 8.9 |
| Sampson County Rate | 10 | 20.6 | 5.3 |
| Scotland County Rate | 11.7 | 14.6 | 5.3 |
| Average CCHA Region Rate | 16 | 22 | 5 |
| North Carolina Rate | 14.4 | 18.2 | 5.1 |


Age-Adjusted Death Rates for Suicide & Homicide in Total NC Population, 2002 - 2006




Age-Adjusted Death Rates for Total Deaths/All Causes in Total NC Population, 2002-2006




Age-Adjusted Death Rates for Total Cancer in Total NC Population, 2002-2006




Age-Adjusted Death Rates for Diabetes Mellitus in Total NC Population, 2002-2006




Age-Adjusted Death Rates for Heart Disease in Total NC Population, 2002-2006




Age-Adjusted Death Rates for Cerebrovascular Disease in Total NC Population, 2002-2006




Age-Adjusted Death Rates for Pneumonia/Influenza in Total NC Population, 2002-2006




**Age-Adjusted Death Rates for Chronic Lower Respiratory Disease in Total NC Population,
2002-2006**




**Age-Adjusted Death Rates for Chronic Liver Disease & Cirrhosis in Total NC Population,
2002-2006**




**Age-Adjusted Death Rates for Other Unintentional Injury/Accidents in Total NC Population,
2002-2006**




Age-Adjusted Death Rates for Motor Vehicle Accidents in Total NC Population, 2002-2006




Age-Adjusted Death Rates for Suicide in Total NC Population, 2002-2006




Age-Adjusted Death Rates for Homicide in Total NC Population, 2002-2006



Age-Adjusted Death Rates for Septicemia in Total NC Population, 2002-2006



Age-Adjusted Death Rates for Nephritis in Total NC Population, 2002-2006



Age-Adjusted Death Rates for HIV in Total NC Population, 2002-2006

